US ISSN 0013 8746

ANNALS of the

ENTOMOLOGICAL SOCIETY OF AMERICA

VOLUME 79—1986

Published by the ENTOMOLOGICAL SOCIETY OF AMERICA

AESAAI 79 1–1034

Annals
of the
Entomological Society of America

Volume 79

CARL W. SCHAEFER
Editor
RALPH W. HOWARD
Editor

RAYMOND L. EVERNGAM, JR.
Managing Editor
EILEEN D'ARAUJO
Copy Editor

PAMELA P. ROSE
Editorial Assistant
LAUREL J. RUMPL
Editorial Assistant

Editorial Board

R. T. CARDÉ, *Chair*
Amherst, Mass.
Section C (1986)

G. R. NOONAN
Milwaukee, Wis.
Section A (1988)

G. F. SHAMBAUGH
Wooster, Ohio
Section B (1987)

C. A. TAUBER
Ithaca, N.Y.
Section A (1989)

R. D. HALL
Columbia, Mo.
Section D (1990)

Published by the
Entomological Society of America

W. A. ALLEN
Blacksburg, Va.
President

G. L. JUBB
Keedysville, Md.
Eastern Branch

W. W. CONE
Prosser, Wash.
Pacific Branch

F. W. KNAPP
Lexington, Ky.
Section D

C. A. TRIPLEHORN
Columbus, Ohio
Past-president

J. B. GRAVES
Baton Rouge, La.
Southeastern Branch

T. ERWIN
Washington, jD.C.
Section A

J. THOMAS
College Station, Tex.
Section E

B. C. PASS
Lexington, Ky
President-elect

H. G. KINZER
Las Cruces, N.M.
Southwestern Branch

G. M. CHIPPENDALE
Columbia, Mo.
Section B

F. T. TURPIN
West Lafayette, Ind.
Section F

K. L. KNIGHT
Raleigh, N.C.
Secretary-Treasurer

J. G. RODRIGUEZ
Lexington, Ky.
North Central Branch

M. J. TAUBER
Ithaca, N.Y.
Section C

W. D. HANSEN
College Park, Md.
Executive Director

The *Annals of the Entomological Society of America* (ISSN 0013 8746) is published bimonthly (January, March, May, July, September, and November) by the Entomological Society of America, 4603 Calvert Road, College Park, MD 20740-3493. The *Annals* is printed by the Allen Press, Inc., 1041 New Hampshire Street, P.O. Box 368, Lawrence, KS 66044. Second class postage paid at College Park, MD and at additional mailing offices. Postmaster: Send change of address forms to *Annals*, ESA, 4603 Calvert Road, College Park, MD 20740-3493.

Inquiries regarding editorial content, subscriptions, advertising, availability of back issues, change of address, and general business matters should be addressed to the Managing Editor, *Annals*, ESA, 4603 Calvert Road, College Park, MD 20740-3493. Manuscripts and other copy should also be sent to the Managing Editor. For general information about the preparation of manuscripts, authors are urged to consult the "Information for Contributors," located on the inside back cover, and the *Publications Policies and Guide for Authors*, available free of charge from the Entomological Society of America.

Subscriptions: $66.00 per year (nonmembers in the United States); $78.00 (elsewhere). Single copies: $14.00 (nonmembers in the United States); $16.00 (elsewhere).

Publication costs of all articles were defrayed in part by page charge payment. These articles must therefore be hereby marked "advertisements" in accordance with 18 U.S.C. §1734 solely to indicate this fact. Articles report the results of research only. Mention of a pesticide or a commercial or proprietary product does not constitute a recommendation or an endorsement for its use. Authors are entirely responsible for statements made in the *Annals*, whether of fact or opinion.

© 1986 by the Entomological Society of America

Permission to photocopy journal articles for internal or personal use is granted by the Entomological Society of America provided that a fee is paid directly to the Copyright Clearance Center, 21 Congress Street, Salem, MA 01970. Individual scientists and students may make a single copy for personal use without charge. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. 0013 8746/84 $2.00.

CUMULATIVE AUTHOR INDEX

Annals of the Entomological Society of America, Volume 79, 1986

Adler, C.R.L., 56
Alm, S.R., 324
Alrubeai, H.F., 341
Appel, A.G., 104, 579
Atkinson, T.H., 414

Baker, T.C., 280
Barbosa, P., 280
Barrett, C.C., 289
Barrows, E.M., 1008
Beattie, A.J., 448
Beck, S.D., 821
Bednar, L.F., 549
Bentz, B.J., 527
Berberet, R.C., 985
Beregovoy, V., 116
Bergerson, C., 407
Bergstrom, G.C., 385
Birch, M.C., 210
Black, W.C. IV, 636
Boczek, J., 293
Boiteau, G., 989
Braman, S.K., 1029
Breden, F., 73
Broce, A.B., 1, 150
Brown, M.W., 56
Browning, H.W., 402
Butler, G.D. Jr., 262, 482

Callan, N.W., 60
Camazine, S., 140, 801
Carney, R.L., 742
Carpenter, J.E., 132
Carruthers, R.I., 385
Chabora, P.C., 808
Chamberlain, W.F., 289
Chapman, G.B., 1008
Clancy, K.M., 884
Cochran, D.G., 861
Collins, A.M., 833
Collins, R.D., 31
Cone, W.W., 837
Cornelissen, G., 317
Costa, J.T. III, 999
Cox, R.L., 576
Craig, T.P., 884
Cruz, Y.P., 121
Cui, Hu,, 280
Cupp, E.W., 610

Danka, R.G., 833
Davis, R., 293
Diehl, S.R., 266
Dougherty, V., 691
Drew, R.A.I., 870
Durbin, E.J., 662

Eaton, J.L., 629
Elkinton, J.S., 390
Ellington, J., 799
Elliott, N.B., 994
Elliott, W.M., 994
Elzinga, R.J., 150
Equihua-Martinez, A., 424
Erickson, E.H. Jr., 460
Ernst, M.R., 645

Fairchild, L., 727
Ferguson, E., 799
Field, M.D., 372
Fitzgerald, T.D., 999
Fleischer, S.J., 19
Foley, D.H., 80
Forrest, T.G., 918
Francoeur, A., 865
Fraser, M.J., 773, 784
Frater, A.P., 686
Fritz, G.N., 686
Furth, D.G., 472

Gagne, R.J., 235, 246
Gamboa, G.J., 572
Garrison, R.W., 938
Gaylor, M.J., 19
Goeden, R.D., 39, 945, 953
Goyer, R.A., 304
Grafius, E., 31
Graham, L.C., 19
Graves, R.C., 662
Grimes, L.R., 491, 510
Gross, P., 48
Guss, P.L., 742

Halberg, F., 317
Hall, F.R., 324
Hanson, P.E., 488
Harbo, J.R., 112
Hart, E.R., 535
Hawkins, B.A., 905
Hayes, D.K., 317
Haynes, K.F., 210
Haynes, P.A., 385
Heady, S.E., 727
Hellmich, R.L. II, 833
Hogg, D.B., 364
Holzenthal, R.W., 251
Hough, T., 448
Howard, D.J., 472
Huddleston, E.W., 686
Hue, N.V., 19
Hutchison, W.D., 262, 482

Imura, O., 96
Isenhour, D.J., 893

Jackson, R.D., 132
Johnson, S.J., 26

Kaufmann, T., 975
Kingsley, P.C., 364
Kisgewski, A.E., 610
Klun, J.A., 128
Knox, R.B., 448
Koch, H.G., 11
Kok, L.T., 359
Kopelman, A.H., 808
Koveos, D.S., 15
Krafsur, E.S., 636
Krysan, J.L., 742
Kurczewski, F.E., 350

La Fage, J.P., 312
LaChance, L.E., 792
Lambdin, P.L., 369
Lambert, D.M., 870
Lance, D.R., 390
Lauterer, P., 7
Leprince, D.J., 865, 912
Lewis, D.J., 912
Liebherr, J.K., 424
Lockley, T.C., 879
Lockwood, J.A., 963
Loher, W., 841
Loughran, J.C., 34
Luck, R.F., 700

Mack, T.P., 579
Madrid, F.J., 622
Magnarelli, L.A., 829
Marino, P.C., 468
Marston, J.M., 804
Martinat, P.J., 280
Martin, J.M., 262, 482
Mayor, A.J., 597
McInnis, D.O., 605, 931
McLain, D.K., 784
McPherson, J.E., 566
Meixner, A.J., 554
Melton, C.W., 402
Meyer, R.P., 664, 677
Michener, C.D., 62
Milby, M.M., 664, 677
Miller, M.A., 289
Mitchell, P.L., 854
Mitchell, P.L., 854
Mori, H., 456
Muller, R.A., 132

Namir, I., 407
Nasr, M.E., 804
Nault, L.R., 727
Neal, J.W. Jr., 814
Neunzig, H.H., 491, 510
Nishimoto, J.I., 605
Nong, L., 737
Nunamaker, R.A., 576

O'Keeffe, L.E., 109
Oatman, E.R., 1019
Opp, S.B., 700, 705
Owens, J.C., 686

Packauskas, R.J., 566
Page, R.E. Jr., 460
Palchick, S., 91
Pankiewicz-Nowicka, D., 293
Parker, B.M., 925
Pashley, D.P., 26, 898
Peckham, D.J., 350
Peng, Y-S, 804
Pinto, J.D., 597, 1019
Platner, G.R., 1019
Porter, S.D., 723
Poulton, B.C., 645
Price, P.W., 884
Prokopy, R.J., 266, 705
Prophetou, D.A., 7

Ragsdale, D.W., 34
Rai, K.S., 784
Raina, A.K., 128
Reese, J.C., 372
Reisen, W.K., 664, 674, 677
Richman, D.B., 686
Ricker, D.W., 39, 945, 953
Riemann, J.G., 116
Rinderer, T.E., 833
Robinson, W.H., 344
Roche, R.R., 60
Romero-Severson, J., 364
Ross, M.H., 451
Roush, R.T., 583
Russo, R., 715
Rust, M.K., 104
Ruud, R.L., 116
Ryan, R.E., 572

Sailer, R.I., 737
Schoof, D.D., 91
Schotzko, D.J., 109
Schwalbe, C.P., 364, 390
Semlitsch, R.D., 256
Shambaugh, G.F., 727
Shankaraiah, K., 317
Shaw, K.C., 554
Shlotzhauer, T., 994
Sinha, R.N., 96, 622
Sivinski, J.M., 84, 146
Smith, J.D., 304
Smith, J.W. Jr., 905
Smith, R.L., 334
Sonnet, P.E., 742
Sparks, A.N., 132
Spofford, M.G., 350
Stadelbacher, E.A., 128
Stanley-Samuelson, D.W., 841
Stewart, K.W., 645
Stock, M.W., 527
Stoltz, D.B., 216
Story, J.M., 60
Story, R.N., 963
Stribling, J.B., 219
Su, N.-Y., 312

Tam, S.Y.T., 931
Tempelis, C.H., 91
Torchio, P.F., 434, 588
Trostle, G.E., 434
Tsai, J.H., 395
Tschinkel, W.R., 723
Tuck, M.D., 11
Tumlinson, J.H., 742
Turnbull, C.L., 448
Tzanakakis, M.E., 7, 15

Van Geem, T.A., 1
Van Vorhis Key, S.E., 280
Vinson, S.B., 216

Wade, M.J., 73
Walker, G.P., 549
Walker, T.J., 84
Wang, R., 359
Waring, G.L., 334
Webb, F., 799
Webb, J.C., 146
Weseloh, R.M., 308
Wheeler, D.E., 300
Wheeler, Q.D., 377
White, N.D.G., 622
Whitman, D.W., 711
Whitten, C.J., 792
Whitten, M.J., 766
Wildman, T.E., 837
Wilkin, P.H., 742
Williams, J.L., 971
Wilson, S.W., 395
Wilson, W.T., 576
Wong, T.T.Y., 605, 931
Woodring, J.P., 304
Wool, D., 407
Wright, E.J., 273
Wright, L.C., 837
Wuensche, A.L., 246

Yeargan, K.V., 1029
Yoon, J.S., 662
Young, O.P., 747, 879

CUMULATIVE SUBJECT INDEX

Annals of the Entomological Society of America, Volume 79, 1986

Acoustic behavior, *Neoconocephalus nebrascensis*, 554
Acrididae, degree-days, 711
  development, 711
  Taeniopoda eques, 711
  thermal constant, 711
  thermoregulation, 711
  threshold temperature, 711
Activity patterns, *Eleodes obscura*, 468
Aedes spp., genetics, 784
  homogenization, 784
  repetitive DNA, 784
  systematics, 784
Aedes taeniorhynchus, diapause, 925
  egg hatchability, 925
  embryogenesis, 925
  photoperiod, 925
  temperature, 925
Aedes triseriatus, energy reserves, 829
  plant sugars, 829
Africanized, *Apis mellifera*, 833
  arrhenotoky, 833
  drone, 833
  laying worker, 833
  queenless, 833
Agave host plant interactions, *Scyphophorus acupunctatus*, 334
Age-specific development time, *Pectinophora gossypiella*, 482
Age structure, allozymes, 636
  Musca domestica, 636
  overwintering, 636
Aggregation, embryonic orientation, 963
  hibernation, 975
  insect development, 963
  Nezara viridula, 963
  reproductive adaptation, 975
  sperm mixing, 975
  tactile and chemical communication, 963
  water's edge, 975
Agrotis ipsilon, artificial diet, 372
  bionomics, 821
  corn seedlings, 372
  laboratory rearing, 372
  photoperiod, 821
  thermoperiod, 821
Alfalfa pollen, *Apis mellifera*, 804
  digestion, 804
  histochemical observation, 804
  pollen cytoplasm release, 804
Allonemobius fasciatus, electrophoretic key, 472
  review of, 472
Allonemobius fultoni, description, 472
  distribution, 472
  habitat, 472
  life cycle, 472
  new species, 472
Allonemobius socius, status, 472
Allonemobius walkeri, description, 472
  distribution, 472
  habitat, 472
  life cycle, 472
  new species, 472
Allorhogas pyralophagus, *Eareuma loftini* control, 402
  life history, 402
  reproductive biology, 402
Allozymes, age structure, 636
  host strains, 898
  Musca domestica, 636
  overwintering, 636
  Spodoptera frugiperda, 898
Alocandrena porteri, description, 63
Ambrosiinae, phytophagous insect fauna, 39
Amphoropsyche insularis, larva redescribed, 251
  pupa described, 251
Amphoropsyche quebrada, relation to *Amphoropsyche*, 251
Amylase activity, brewer's yeast, 407
  Tribolium spp., 407
Anaphes sordidatus, courtship, 31
  mating, 31
  parasitoid of carrot weevil, 31
Anastatus semiflavidus, egg parasitism, 854
  Gryon largi, 854
  Gryon pennsylvanicum, 854
  Leptoglossus phyllopus, 854
Anastrepha suspensa, acoustic signals, 146
  social behavior, 146
Anchytarsus bicolor, biology, 219
Anchytarsus folliculipalpus,
  described in Central, South America, 219
Anchytarsus palpalis, biology, 219
Anchytarsus, revision, 219
  synonymized with *Tetraglossa*, 219
Andreninae, *Alocandrena porteri*, 63
  comparison with Panurginae, 63
  description, 63
  generic review, 63
Annotated checklist, Platypodidae, 414
  Scolytidae, 414
Anopheles freeborni, enzyme immunoassay evaluation, 91
Antennal sensory structures, *Conotrachelus nenuphar*, 324
Anthophora occidentalis, egg eclosion, 588
  late embryogenesis, 588
  Triepeolus dacotensis, 588
Anthophora urbana urbana, biology, 434
  hatching, 434
  late embryogenesis, 434
  parasites of, 434
  Xeromelecta californicaca, 434
Antibiotic production, *Myrmecia nigriscapa*, 448
Anticarsia gemmatalis, genetic structure, 26
  migration, 26
  populations, 26
Aonidiella, Aphelinidae, 700
  Aphytis, 700
  Diaspididae, 700
  ectoparasitoid, 700
  fecundity, 700
  fitness, 700
  host size, 700
  parasitic Hymenoptera, 700
  survival, 700
Aonidiella aurantii, artificial membranes, 549
  crawler settling, 549
  gustatory stimuli, 549
Aphelinidae, Aonidiella, 700
  Aphytis, 700
  Diaspididae, 700
  ectoparasitoid, 700
  fecundity, 700
  fitness, 700
  host size, 700
  parasitic Hymenoptera, 700
  survival, 700
Aphis nasturtii, flight, 989
  Macrosiphum euphorbiae, 989
  Myzus persicae, 989
  periodicity, 989
Aphylla angustifolia, Gomphidae, 938
  key, 938
Aphytis, Aonidiella, 700
  Aphelinidae, 700
  Diaspididae, 700
  ectoparasitoid, 700
  fecundity, 700
  fitness, 700
  host size, 700
  parasitic Hymenoptera, 700
  survival, 700
Apis mellifera, Africanized, 833
  alfalfa pollen, 804
  arrhenotoky, 833
  digestion, 804
  drone, 833
  egg, 971
  histochemical observation, 804
  instrumentally inseminated, 112
  larval phenotypes discrimination, 460
  laying worker, 833
  micropylar chorion, 971
  naturally mated, 112
  oviposition rates, 112
  parasitic mite, 801
  pollen cytoplasm release, 804
  queen rearing, 460
  queenless, 833
  queenless colonies, 460
  reproduction, 801
  resistance, 801
  Varroa jacobsoni, 801
Apis mellifera capensis, environmental effect, 576
  isozymes, 576
  morphological variation, 576
Applied entomology, genetics, 766
  recombinant DNA, 766
Arboviruses, *Culex quinquefasciatus*, 677
  Culex tarsalis, 677
  diapause, 677
  overwintering, 677
Arrhenotoky, Africanized, 833
  Apis mellifera, 833
  drone, 833
  Epilachna varivestis, 737

laying worker, 833
mating, 737
Pediobius foveolatus, 737
queenless, 833
sterility, 737
Arthropods, cold plates, 799
Artificial diet, *Agrotis ipsilon*, 372
Artificial membranes, *Aonidiella aurantii*, 549
crawler settling, 549
gustatory stimuli, 549
Asphondylia, comparison with *Asphondylia websteri*, 246
Asphondylia websteri, attack on *Medicago sativa* L., 246
comparison with cogeners, 246
redescribed, 246
attack on *Cyamopsis tetragonoloba*, 246
Assortative mating, courtship, 597
Epicauta ochrea, 597
Lytta vulnerata, 597
mating success, 597
size, 597
Tegrodera erosa, 597
Autogeny, *Culex tarsalis*, 674
diapause, 674
overwintering, 674
photoperiod, 674
Autosomes, *Cochliomyia hominivorax*, 732
chromosomes, 792
genetic variation, 792
genetics, 792
karyotype analysis, 792
sex chromosomes, 792

Baculovirus, genetics, 773
mutagenesis, 773
nuclear polyhedrosis virus, 773
transposon, 773
Bathyplectes curculionis, cellular defense mechanism, 985
encapsulation, 985
Hypera postica, 985
Behavior, *Diolcogaster facetosa*, 1029
defensive responses, 1029
hilltop, 865
Leptothorax longispinosus, 865
life history, 1029
Myrmica sp. C., 865
male, 865
mating, 1029
predation, 715
surplus killing, 715
swarm, 865
Toxorhynchites, 715
acoustic signals, 146
Anastrepha suspensa, 146
Rhagoletis mendax, 266
Rhagoletis pomonella, 266
Periplaneta fuliginosa, 104
prepupation dispersal, 140
Mycetophila cingulum, 140
social, 146
prepupal wandering, 116
Homeosoma electellum, 116
Bioenergetics, *Plodia interpunctella*, 96
Biological control, *Cirsium*, 945, 953
insect fauna, 945, 953
thistle, 945, 953
weed, 945, 953
Biology, *Anthophora urbana urbana*, 434
Peregrinus maidus, 395
Platypodidae, 414
Scolytidae, 414
Xeromelecta californica, 434
of *Janus rufiventris*, 488
Biomass, consumption, 622
Ephestia cautella, 622
efficiencies, 622
energy budget, 622
wheat, 622
Bionomics, *Agrotis ipsilon*, 821
photoperiod, 821
thermoperiod, 821
Biosystematics, new species, 1019
sympatric relationships, 1019
Trichogramma, 1019
Blaberidae, Blattodea
Gromphadorhina portentosa, 662
gynandromorph, 662
Blattella germanica, abdominal appendages, 451
notched sternite mutant, 451
Blattodea, Blaberidae, 662
Gromphadorhina portentosa, 662
gynandromorph, 662
Body water, *Elasmopalpus lignosellus*, 579
water relations, 579

Cainosternum imbricatum, Agathidiini, 377
cladistic relationship, 377
ecological relationship, 377
generic diagnosis, 377
North Carolina, 377
redescription, 377
Callidosoma metsi, attachment in parasitization, 56
dispersion in parasitization, 56
parasitization, 56
Calls, *Dalbulus* leafhoppers, 727
mating, 727
phylogeny, 727
Campoletis sonorensis, calyx fluid/virus, 216
artificial parasitism, 216
cross-protection of *Hyposoter exiguae*, 216
developmental time, 893
egg maturity, 216
longevity, 893
reproductive capability, 893
Spodoptera frugiperda, 893
Carrot weevil, *Anaphes sordidatus*, 31
Cellular defense mechanism, *Bathyplectes curculionis*, 985
encapsulation, 985
Hypera postica, 985
Ceratitis capitata, competitiveness, 931
fecundity, 931
fertility, 931
interference, 931
irradiation, 931
Cerococcus citri, China, 369
modified key, 369
moprphological comparison, 369
new scale insect, 369
Cerotoma trifucata, colonized adults, 34
emergance, 34
fat content, 34
life cycle, 34
ovarian development, 34
overwintered adults, 34
soybeans, 34
Chihuahua, *Hemileucs oliviae*, 686
Mexico, 686
parasitoids, 686
Chiral semiochemicals, *Diabrotica barberi*, 742
Diabrotica virgifera, 742
reproductive isolation, 742
sex attractant, 742
Chromosomes, autosomes, 792
Cochliomyia hominivorax, 792
genetic variation, 792
genetics, 792
karyotype analysis, 792
sex chromosomes, 792
Circaseptan rhythm, *Musca autumnalis*, 317
manipulation of, 317
survival of *Musca autumnalis*, 317
Cirsium, biological control, 945, 953
insect fauna, 945, 953
thistle, 945, 953
weed, 945, 953
Cochliomyia hominivorax, autosomes, 792
chromosomes, 792
genetic variation, 792
genetics, 792
karyotype analysis, 792
sex chromosomes, 792
Cocoon spinning, *Xeromelecta californica*, 434
Cold hardiness, cryobiology, 837
fecundity, 837
fertilization, 837
Humulus lupulus, 837
Tetranychus urticae, 837
Cold plates, arthropods, 799
Colonization, *Culex tarsalis*, 664
diapause, 664
life tables, 610
overwintering, 664
photoperiod, 664
Simulium vittatum, 610
Colony founding, economics, 723
ergonomics, 723
evolution, 723
nanitic, 723
Solenopsis invicta, 723
Communication, foraging behavior, 999
Malacosoma americanum, 999
Malacosoma disstria, 999
trail pheromone, 999
Competition, *Diatraea saccharalis*, 905
Boreuma loftini, 905
life tables, 905
Rhaconotus roslinensis, 905
sugarcane, 905
Competitiveness, *Ceratitis capitata*, 931
fertility, 931
interference, 931
irradiation, 931
Conotrachelus nenuphar, antennal sensory structures, 324
sensilla classification, 324
sensilla functions, 324
sensilla identification, 324
Consumption, biomass, 622
biomass, 622
efficiencies, 622
energy budget, 622
Ephestia cautella, 622
wheat, 622
Copidosomopsis tanytmemus, development, 121
Coptotermes formosanus, food availability, 312
soldier production, 312
soldier survival, 312
starvation effects on soldiers, 312
Cotesia malanoscela, clumps and attack patterns, 308
densities and attack patterns, 308
field attack patterns on, 308
hyperparasites, 308
Courtship, assortative mating, 597
Anaphes sordidatus, *31*
Epicauta ochrea, 597
Lytta vulnerata, 597
mating success, 597
Platyptilia carduidactyla, 120
Platyptilia williamsii, 120
size, 597
Tegrodera erosa, 597
Crawler settling, *Aonidiella aurantii*, 549
artificial membranes, 549
gustatory stimuli, 549

Crematogaster association, *Ectatomma tuberculatum*, 300
Cryobiology, cold hardiness, 837
fecundity, 837
fertilization, 837
Humulus lupulus, 837
Tetranychus urticae, 837
Culex quinquefasciatus, arboviruses, 677
Culex tarsalis, 677
diapause, 677
overwintering, 677
Culex tarsalis, arboviruses, 677
autogeny, 674
Culex quinquefasciatus, 677
colonization, 664
diapause, 664, 674, 677
enzyme immunoassay evaluation, 91
overwintering, 664, 674, 677
photoperiod, 664, 674
Cyamopsis tetragonoloba, attack by *Asphondylia websteri*, 246
Cytology, *Dacus aquilonis*, 870
Dacus tryoni, 870
mate recognition, 870
morphology, 870
status, 870

Dacus aquilonis, cytology, 870
Dacus tryoni, 870
mate recognition, 870
morphology, 870
status, 870
Dacus cucurbitae, laboratory-reared, 605
mating responses, 605
sexual maturation rates, 605
wild adults, 605
Dacus oleae, ovarian, 15
photophase effects, 15
temperature effects, 15
Dacus tryoni, cytology, 870
Dacus aquilonis, 870
mate recognition, 870
morphology, 870
status, 870
Dalbulus leafhoppers, calls, 727
mating, 727
phylogeny, 727
Defensive responses, behavior, 1029
Diolcogaster facetosa, 1029
life history, 1029
mating, 1029
Defoliation prediction model, *Malacosoma disstria*, 304
tupelo gum foliage, 304
Degree-days, Acrididae, 711
development, 711
Pectinophora gossypiella, 482
Taeniopoda eques, 711
thermal constant, 711
thermoregulation, 711
threshold temperature, 711
Dendroctonus bark beetles, electrophoresis, 527
phenetic relationships, 527
phylogenetic relationships, 527
ten species of, 527
Description, *Allonemobius fultoni*, 472
Allonemobius walkeri, 472
Development, Acrididae, 711
degree-days, 711
Taeniopoda eques, 711
thermal constant, 711
thermoregulation, 711
threshold temperature, 711
Development/temperature ratios, *Pectinophora gossypiella*, 482
Developmental time, *Campoletis sonorensis*, 893
longevity, 893
reproductive capability, 893
Spodoptera frugiperda, 893
Diabrotica barberi, chiral semiochemicals, 742
Diabrotica virgifera, 742
reproductive isolation, 742
sex attractant, 742
Diabrotica virgifera, chiral semiochemicals, 742
Diabrotica barberi, 742
reproductive isolation, 742
sex attractant, 742
Diapause, *Aedes taeniorhynchus*, 925
autogeny, 674
Culex tarsalis, 664, 674
colonization, 664
egg hatchability, 925
embryogenesis, 925
overwintering, 664, 674
photoperiod, 664, 674, 925
temperature, 925
Diaspididae, *Aonidiella*, 700
Aphelinidae, 700
Aphytis, 700
ectoparasitoid, 700
fecundity, 700
fitness, 700
host size, 700
parasitic Hymenoptera, 700
survival, 700
Diatraea saccharalis, competition, 905
Goreuma loftini, 905
life tables, 905
Rhaconotus roslinensis, 905
sugarcane, 905
Dietary regulation, *Tribolium* spp., 407
Diet, Muscamorpha, 150
Digestion, *Apis mellifera*, 804
alfalfa pollen, 804
histochemical observation, 804
pollen cytoplasm release, 804
Diolcogaster facetosa, behavior, 1029
defensive responses, 1029
life history, 1029
mating, 1029
Distribution, *Allonemobius fultoni*, 472
Allonemobius walkeri, 472
mimicry, 691
new species, 691
phylogeny, 691
species key, 691
Zirta, 691
Ditrysia sensilla, terminology, 491, 510
Ditrysia suborder, last-stage larvae palpai, 491, 510
maxillae morphology palpi, 491, 510
maxillae sensilla palpi, 491, 510
Drone, Africanized, 833
Apis mellifera, 833
arrhenotoky, 833
laying worker, 833
queenless, 833
Drosophila melanogaster, *Drosophila simulans*, 808
Leptopilina boulardi, 808
life-history parameters, 808
parasitoids, 808
reproduction, 808
Drosophila simulans, *Drosophila melanogaster*, 808
Leptopilina boulardi, 808
life-history parameters, 808
parasitoids, 808
reproduction, 808
Dufour's gland, ultrastructure, 1008
Xylocopa virginica virginica, 1008

Eareuma loftini control, *Allorhogas pyralophagus*, 402
Ecology, *Scyphophorus acupunctatus*, 334
Economics, colony founding, 723
ergonomics, 723
evolution, 723
nanitic, 723
Solenopsis invicta, 723
Ectatomma tuberculatum, *Crematogaster* association, 300
foraging biology, 300
interspecific association, 300
prey, 300
social parasitism, 300
Ectoparasitoid, *Aonidiella*, 700
Aphelinidae, 700
Aphytis, 700
Diaspididae, 700
fecundity, 700
fitness, 700
host size, 700
parasitic Hymenoptera, 700
survival, 700
Ectoparasitoids, food web, 884
gall development, 884
inquilines, 884
life history, 884
oviposition behavior, 884
Pontania sp. sawfly, 884
Efficiencies, biomass, 622
consumption, 622
Ephestia cautella, 622
energy budget, 622
wheat, 622
Egg-laying behavior, insect reproduction, 841
polyunsaturated fatty acids, 841
prostaglandins, 841
Egg, *Apis mellifera*, 971
micropylar chorion, 971
Egg eclosion, *Anthophora occidentalis*, 588
late embryogenesis, 588
Trieapeolus decotensis, 588
Egg hatchability, *Aedes taeniorhynchus*, 925
diapause, 925
embryogenesis, 925
photoperiod, 925
temperature, 925
Egg parasitism, *Anastatus semiflavidus*, 854
Gryon largi, 854
Gryon pennsylvanicum, 854
Leptoglossus phyllopus, 854
Eggs, Heteroptera, 456
water absorption, 456
Elasmopalpus lignosellus, body water, 579
water relations, 579
Electrophoresis, *Dendroctonus* bark beetles, 527
Eleodes obscura, activity patterns, 468
environmental stress, 468
microhabitat selection, 468
water stress, 468
Embryogenesis, *Aedes taeniorhynchus*, 925
diapause, 925
egg hatchability, 925
photoperiod, 925
temperature, 925
Embryonic orientation, aggregation, 963
insect development, 963
Nezara viridula, 963
tactile and chemical communication, 963
Encapsulation, *Bathyplectes curculionis*, 985
cellular defense mechanism, 985
Hypera postica, 985
Encyrtus saliens, biology of, 273
host relationship, 273
morphology of, 273
number of instars, 273

Energy budget, biomass, 622
consumption, 622
efficiencies, 622
Ephestia cautella, 622
Energy budget, wheat, 622
Energy reserves, *Aedes triseriatus*, 829
plant sugars, 829
Environmental effect, *Apis mellifera capensis*, 576
isozymes, 576
morphological variation, 576
Environmental stress, *Eleodes obscura*, 468
Enzyme immunoassay, aquatic insects-mosquito larvae relationships, 91
predator-prey relationships, 91
using *Anopheles freeborni*, 91
using *Culex tarsalis*, 91
Enzymes, *Phthorimaea operculella*, 80
Eoreuma loftini, competition, 905
Diatraea saccharalis, 905
life tables, 905
Rhaconotus roslinensis, 905
sugarcane, 905
Ephestia cautella, biomass, 622
consumption, 622
efficiencies, 622
energy budget, 622
wheat, 622
Epicauta ochrea, assortative mating, 597
courtship, 597
Lytta vulnerata, 597
mating success, 597
size, 597
Tegrodera erosa, 597
Epilachna varivestis, arrhenotoky, 737
mating, 737
Pediobius foveolatus, 737
sterility, 737
Ergonomics, colony founding, 723
economics, 723
evolution, 723
nanitic, 723
Solenopsis invicta, 723
Euphyllura olivina, misidentification, 7
Euphyllura phillyreae, olive infestation, 7
Euphyllura species, olive infestation, 7
Euphyllura straminea, olive infestation, 7
Evolution, colony founding, 723
economics, 723
ergonomics, 723
fitness, 918
maternal investment, 918
nanitic, 723
reproductive output, 918
Scapteriscus acletus, 918
Scapteriscus vicinus, 918
Solenopsis invicta, 723

Fat body, follicle development, 912
fructose, 912
parity, 912
sperm, 912
sugar, 912
Tabanus quinquevittatus, 912
Fecundity, *Aonidiella*, 700
Aphelinidae, 700
Aphytis, 700
Ceratitis capitata, 931
cold hardiness, 837
competitiveness, 931
cryobiology, 837
Diaspididae, 700
ectoparasitoid, 700
fertility, 705, 931
fertilization, 837
fitness, 700
host size, 700
Humulus lupulus, 837
interference, 931
irradiation, 931
multiple mating, 705
parasitic Hymenoptera, 700
polygamy, 705
Rhagoletis pomonella, 705
sexual selection, 705
sperm depletion, 705
survival, 700
Tetranychus urticae, 837
Feeding, cyclic fluctuation, 1
Musca autumnalis, 1
protein/carbohydrate content, 1
Tildenia georgei, 48
Tildenia inconspicuella, 48
Feeding habit, Platypodidae, 414
Scolytidae, 414
Feeding indices, *Malacosoma disstria*, 304
Feeding response, *Tyrophagus putrescentiae*, 293
Feeding rhythms, *Lymantria dispar*, 390
Female, age oviposition influence, 280
Female, age parasitism influence, 280
Fertility, *Ceratitis capitata*, 931
competitiveness, 931
fecundity, 705, 931
interference, 931
irradiation, 931
multiple mating, 705
polygamy, 705
Rhagoletis pomonella, 705
sexual selection, 705
sperm depletion, 705
Fertilization, cold hardiness, 837
cryobiology, 837
fecundity, 837
Humulus lupulus, 837
Tetranychus urticae, 837
Field attack patterns, *Cotesia melanoscela*, 308
Fitness, *Aonidiella*, 700
Aphelinidae, 700
Aphytis, 700
Diaspididae, 700
ectoparasitoid, 700
evolution, 918
fecundity, 700
host size, 700
maternal investment, 918
parasitic Hymenoptera, 700
reproductive output, 918
Scapteriscus acletus, 918
Scapteriscus vicinus, 918
survival, 700
Flight, *Aphis nasturtii*, 989
Macrosiphum euphorbiae, 989
Myzus persicae, 989
periodicity, 989
Flight time, *Hypoderma lineatum*, 289
Follicle development, fat body, 912
fructose, 912
parity, 912
sperm, 912
sugar, 912
Tabanus quinquevittatus, 912
Food availability, *Coptotermes formosanus* soldiers, 312
Food selection mechanisms, *Tyrophagus putrescentiae*, 293
Food web, ectoparasitoids, 884
gall development, 884
inquilines, 884
life history, 884
oviposition behavior, 884
Pontania sp. sawfly, 884
Foraging behavior, communication, 999
Malacosoma americanum, 999
Malacosoma disstria, 999
trail pheromone, 999
Foraging biology, *Ectatomma tuberculatum*, 300
Fructose, fat body, 912
follicle development, 912
parity, 912
sperm, 912
sugar, 912
Tabanus quinquevittatus, 912

Gall development, ectoparasitoids, 884
food web, 884
inquilines, 884
life history, 884
oviposition behavior, 884
Pontania sp. sawfly, 884
Geisenheyneria, synonymized with *Prodiplosis*, 235
Generic review, Andreninae, 63
Genetic variation, autosomes, 792
Cochliomyia hominivorax, 792
chromosomes, 792
genetics, 792
karyotype analysis, 792
Platynus angustatus, 424
Platynus tenuicollis, 424
sex chromosomes, 792
Genetics, *Aedes* spp., 784
Anticarsia gemmatalis, 26
applied entomology, 766
autosomes, 792
baculovirus, 773
Genetics, chromosomes, 792
Cochliomyia hominivorax, 792
genetic variation, 792
homogenization, 784
karyotype analysis, 792
mutagenesis, 773
nuclear polyhedrosis virus, 773
recombinant DNA, 766
repetitive DNA, 784
sex chromosomes, 792
systematics, 784
transposon, 773
effects, rearing of *Phthorimaea operculella*, 80
wing polymorphism, *Gryllus*, 84
Geographic distribution, *Tildenia georgei*, 48
Tildenia inconspicuella, 48
Glyptapanteles flavicoxis, female age, 280
oviposition activity, 280
parasitism, 280
progeny production, 280
progeny sex ratio, 280
Gomphidae, *Aphylla angustifolia*, 938
key, 938
Gromphadorhina portentosa, Blaberidae, 662
Blattodea, 662
gynandromorph, 662
Growth indices, *Malacosoma disstria*, 304
Gryllus, genetic polymorphism, 84
wing dimorphism, 84
Gryon largi, *Anastatus semiflavidus*, 854
egg parasitism, 854
Gryon pennsylvanicum, 854
Leptoglossus phyllopus, 854
Gryon pennsylvanicum, *Anastatus semiflavidus*, 854
egg parasitism, 854
Gryon largi, 854
Leptoglossus phyllopus, 854
Gustatory stimuli, *Aonidiella aurantii*
artificial membranes, 549
crawler settling, 549

Gynandromorph, Blaberidae, 662
Blattodea, 662
Gromphadorhina portentosa, 662
Gynes, nestmate recognition, 572
Polistes fuscatus, 572

Habitat, *Allonemobius fultoni*, 472
Allonemobius walkeri, 472
Hatching, *Anthophora urbana urbana*, 434
Xeromelecta californica, 434
Heliothis virescens, inbreeding depression, 583
laboratory adaptation, 583
laboratory selection, 583
rearing, 583
Heliothis zea, age effects, 128
diel periodicity, 128
mating effects, 128
sex pheromone titer, 128
Hemileuca oliviae, Chihuahua, 686
Mexico, 686
parasitoids, 686
Heteracris littoralis, precocenes effects, 341
Heteroptera, evolutionary trends, 456
serosal specialization, 456
water absorption by eggs, 456
Hibernation, aggregation, 975
reproductive adaptation, 975
sperm mixing, 975
water's edge, 975
Hilltop, *Leptothorax longispinosus*, 865
Myrmica sp. C, 865
male, 865
swarm, 865
Histochemical observation, *Apis mellifera*, 804
alfalfa pollen, 804
digestion, 804
pollen cytoplasm release, 804
Homeosoma electellum, prepupal wandering behavior, 116
Homogenization, *Aedes* spp., 784
genetics, 784
repetitive DNA, 784
systematics, 784
Host plant, *Janus rufiventris*, 488
Lygus lineolaris, 747
Host size, *Aonidiella*, 700
Aphelinidae, 700
Aphytis, 700
Diaspididae, 700
ectoparasitoid, 700
fecundity, 700
fitness, 700
parasitic Hymenoptera, 700
survival, 700
Host specificity, Platypodidae, 414
Scolytidae, 414
Host strains, allozymes, 898
Spodoptera frugiperda, 898
Humulus lupulus, cold hardiness, 837
cryobiology, 837
fecundity, 837
fertilization, 837
Tetranychus urticae, 837
Hylotrupes bajulus, ovipositor sensory receptors, 344
ovipositor structure, 344
sensilla functions, 344
Hymenoclea salsola, phytophagous insect fauna, 39
Hypera postica, age-dependent isozyme, 364
Bathyplectes curculionis, 985
cellular defense mechanism, 985
encapsulation, 985
environment-dependent isozyme, 364
isozyme expression transition, 364
isozyme variability, 364
sex-dependent isozyme, 364
Hyperparasite, attack patterns host aggregation, 308
Hyperparasites, *Cotesia melanoscela*, 308
Hypoderma lineatum, irradiation dose rates, 289
irradiation flight time, 289
irradiation time of, 289
irradiation total dosage, 289
Hyposoter exiguae, calyx fluid/virus,, 216
artificial parasitism, 216
Campoletis sonorensis, 216
egg maturity, 216

Immature stages, laboratory rearing, 566
life history, 566
Ranatra fusca, 566
Inbreeding depression, *Heliothis virescens*, 583
laboratory adaptation, 583
laboratory selection, 583
rearing, 583
Inquilines, ectoparasitoids, 884
food web, 884
gall development, 884
life history, 884
oviposition behavior, 884
Pontania sp. sawfly, 884
Insect development, aggregation, 963
embryonic orientation, 963
Nezara viridula, 963
tactile and chemical communication, 963
Insect fauna, biological control, 945, 953
Cirsium, 945, 953
thistle, 945, 953
weed, 945, 953
Insect growth regulators, *Heteracris littoralis*, 341
Insect reproduction, egg-laying behavior, 841
polyunsaturated fatty acids, 841
prostaglandins, 841

Insect supercooling points, computerized data acquisition, 60
thermoelectric module determination, 60
Instar numbers, *Malacosoma disstria*, 304
Interference, *Ceratitis capitata*, 931
competitiveness, 931
fecundity, 931
fertility, 931
irradiation, 931
Iridomyrmex humilis, experimental trails, 283
recruitment behaviors, 283
trail deposition, 283
trail following, 283
Irradiation, *Ceratitis capitata*, 931
competitiveness, 931
fecundity, 931
fertility, 931
Hypoderma lineatum, 289
interference, 931
Isozyme expression, *Hypera postica*, 364
Isozymes, *Apis mellifera capensis*, 576
environmental effect, 576
morphological variation, 576

Janus rufiventris, biology of, 488
host plant, 488
life history, 488

Karyotype analysis, autosomes, 792
Cochliomyia hominivorax, 792
chromosomes, 792
genetic variation, 792
genetics, 792
sex chromosomes, 792
Key, *Aphylla angustifolia*, 938
Gomphidae, 938
Keys, morphology, 645
Neoperla, 645
Ozark region, 645
Perlidae, 645
Plecoptera, 645

Labella, modifications, Muscomorpha, 150
Laboratory-reared, *Dacus cucurbitae*, 605
mating responses, 605
sexual maturation rates, 605
wild adults, 605
Laboratory adaptation, *Heliothis virescens*, 583
inbreeding depression, 583
laboratory selection, 583
rearing, 583
Laboratory rearing, *Agrotis ipsilon*, 372
immature stages, 566
life history, 566
long-term effects, 372
Ranatra fusca, 566
Laboratory selection, *Heliothis virescens*, 583
inbreeding depression, 583
laboratory adaptation, 583
rearing, 583
Last-stage larvae palpai, *Ditrysia* suborder, 491
Late embryogenesis, *Anthophora occidentalis*, 588
Anthophora urbana urbana, 434
Triepeolus dacotensis, 588
Xeromelecta californica, 434
Laying worker, Africanized, 833
Apis mellifera, 833
arrhenotoky, 833
drone, 833
queenless, 833
Leptoglossus phyllopus, *Anastatus semiflavidus*, 854
egg parasitism, 854
Gryon largi, 854
Gryon pennsylvanicum, 854
Leptopilina boulardi, *Drosophila melanogaster*, 808
Drosophila simulans, 808
life-history parameters, 808
parasitoids, 808
reproduction, 808
Leptothorax longispinosus, behavior, 865
hilltop, 865
Myrmica sp. C., 865
male, 865
swarm, 865
Life-history parameters, *Drosophila melanogaster*, 808
Drosophila simulans, 808
Leptopilina boulardi, 808
parasitoids, 808
reproduction, 808
Life cycle, *Allonemobius fultoni*, 472
Allonemobius walkeri, 472
Cerotoma trifucata, 34
Neocurtilla hexadactyla, 256
Plagiodera versicolora, 73
Tildenia georgei, 48
Tildenia inconspicuella, 48
Life history, *Allorhogas pyralophagus*, 402
behavior, 1029
Diolcogaster facetosa, 1029
defensive responses, 1029
ectoparasitoids, 884
food web, 884
gall development, 884
immature stages, 566
inquilines, 884
Janus rufiventris, 488
laboratory rearing, 566
mating, 1029
Megacerus discoidus, 359
oviposition behavior, 884

Pontania sp. sawfly, 884
Ranatra fusca, 566
Life tables, colonization, 610
competition, 905
Diatraea saccharalis, 905
Eoreuma loftini, 905
Rhaconotus roslinensis, 905
Simulium vittatum, 610
sugarcane, 905
Light manipulation, *Musca autumnalis* survival, 317
Light traps, insects, 132
Longevity, *Campoletis sonorensis*, 893
developmental time, 893
reproductive capability, 893
reproductive capability, 893
Spodoptera frugiperda, 893
Lygus lineolaris, host plants, 747
Oxyopes salticus, 879
predation, 879
prey size, 879
physiological marker, 19
rubidium elimination, 19
rubidium uptake, 19
Lymantria dispar, feeding rhythms, 390
late-instar larvae, 390
monitor feeding techniques, 390
Lytta vulnerata, assortative mating, 597
courtship, 597
Epicauta ochrea, 597
mating success, 597
size, 597
Tegrodera erosa, 597

Macrosiphum euphorbiae, *Aphis nasturtii*, 989
flight, 989
Myzus persicae, 989
periodicity, 989
Maize tissues, *Ostrinia nubilalis*, 385
Malacosoma americanum, communication, 999
foraging behavior, 999
Malacosoma disstria, 999
trail pheromone, 999
Malacosoma disstria, communication, 999
defoliation prediction model, 304
feeding indices, 304
foraging behavior, 999
growth indices, 304
instar numbers, 304
Malacosoma americanum, 999
trail pheromone, 999
tupelo gum foliage, 304
Male, behavior, 865
hilltop, 865
Leptothorax longispinosus, 865
Myrmica sp. C, 865
swarm, 865
Manduca sexta, nervous system, 629
ovipositor, 629
papillae anales, 629
Mate recognition, cytology, 870
Dacus aquilonis, 870
Dacus tryoni, 870
morphology, 870
status, 870
Maternal investment, evolution, 918
fitness, 918
reproductive output, 918
Scapteriscus acletus, 918
Scapteriscus vicinus, 918
Mating, *Anaphes sordidatus*, 31
arrhenotoky, 737
behavior, 1029
calls, 727
Dalbulus leafhoppers, 727
Diolcogaster facetosa, 1029
defensive responses, 1029
Epilachna varivestis, 737
Heliothis zea pheromone titer effects, 128
life history, 1029
oothecae, 861
Parcoblatta fulvescens, 861
Pediobius foveolatus, 737
phylogeny, 727
reproduction, 861
sterility, 737
Mating responses, *Dacus cucurbitae*, 605
laboratory-reared, 605
sexual maturation rates, 605
wild adults, 605
Mating success, assortative mating, 597
courtship, 597
Epicauta ochrea, 597
Lytta vulnerata, 597
size, 597
Mating systems, Platypodidae, 414
Scolytidae, 414
Maxillae, morphology palpi *Ditrysia* suborder, 491
sensilla palpi *Ditrysia* suborder, 491
Medicago sativa L., attack by *Asphondylia websteri*, 246
Megacerus discoidus, cannibalism, 359
hedge bindweed, 359
life history, 359
oviposition, 359
parasites of, 359
Metapleural gland, *Myrmecia nigriscapa*, 448
Metapleural gland secretions, soil fungi spores, 448
Mexico, Chihuahua, 686
Hemileuca oliviae, 686
parasitoids, 686
Microhabitat selection, *Eleodes obscura*, 468
Microplitis rufiventris, Arizona, 262
development, 262
longevity, 262
mortality, 262
parasitization, *Spodoptera exigua*, 262
temperature-dependent studies, 262
Micropylar chorion, *Apis mellifera*, 971
egg, 971
Migration, *Anticarsia gemmatalis*, 26
flight muscle changes, *Sitona lineatus*, 109
Migration, research using light traps, 132
Miltogrammini, cleptoparasitism frequency, 350
cleptoparasitism of *Tachysphex terminatus*, 350
larvipositional behaviors, 350
Mimicry, distribution, 691
new species, 691
phylogeny, 691
species key, 691
Zirta, 691
Mining, *Tildenia georgei*, 48
Tildenia inconspicuella, 48
Modified key, *Cerococcus citri*, 369
Molting, humidity effects, 11
Rhipicephalus sanguineus, 11
temperature effects, 11
Monitor feeding techniques, *Lymantria dispar*, 390
Morphological variation, *Apis mellifera capensis*, 576
environmental effect, 576
isozymes, 576
Morphology, *Cerococcus citri*, 369
cytology, 870
Dacus aquilonis, 870
Dacus tryoni, 870
keys, 645
mate recognition, 870
Neoperla, 645
Ozark region, 645
Perlidae, 645
Plecoptera, 645
reproduction, 814
Thyridopteryx ephemeraeformis, 814
Multiple mating, fecundity, 705
fertility, 705
polygamy, 705
Rhagoletis pomonella, 705
sexual selection, 705
sperm depletion, 705
Musca autumnalis, circaseptan rhythm, 317
frequency response, 317
light manipulation, 317
lighting-schedule shifts, 317
carbohydrate effects, 1
feeding, 1
metabolism, 1
ovarian development, 1
protein effects, 1
Musca domestica, age structure, 636
allozymes, 636
overwintering, 636
Muscomorpha, diet/morphologic characterization, 150
labellar modifications, 150
Mutagenesis, baculovirus, 773
genetics, 773
nuclear polyhedrosis virus, 773
transposon, 773
Mycetophila cingulum, leaping locomotion, 140
prepupation dispersal behavior, 140
structural adaptations for leaping, 140
Myrmecia nigriscapa, antibiotic production, 448
metapleural gland, 448
secretions, 448
Myrmica sp. C, behavior, 865
hilltop, 865
Leptothorax longispinosus, 865
male, 865
swarm, 865
Myzus persicae, *Aphis nasturtii*, 989
flight, 989
Macrosiphum euphorbiae, 989
periodicity, 989

Nanitic, colony founding, 723
economics, 723
ergonomics, 723
evolution, 723
Solenopsis invicta,723
Natural history, *Scyphophorus acupunctatus*, 334
Neoconocephalus nebrascensis, acoustic behavior, 554
Neocurtilla hexadactyla, Carolina-bay habitats, 256
life cycle, 256
Neoperla, keys, 645
morphology, 645
Ozark region, 645
Perlidae
Plecoptera, 645
Nervous system, *Manduca sexta*, 629
ovipositor, 629
papillae anales, 629
Nest sharing, nest switching, 994
presocial behavior, 994
Nest switching, nest sharing, 994
presocial behavior, 994
Nestmate recognition, gynes, 572
Polistes fuscatus, 572
New scale insect, *Cerococcus citri*, 369
New species, *Allonemobius fultoni*, 472
Allonemobius walkeri, 472
biosystematics, 1019
distribution, 691
mimicry, 691
phylogeny, 691
species key, 691

sympatric relationships, 1019
Trichogramma, 1019
Zirta, 691
Mesara viridula, aggregation, 963
embryonic orientation, 963
insect development, 963
tactile and chemical communication, 963
Nuclear polyhedrosis virus, baculovirus, 773
genetics, 773
mutagenesis, 773
transposon, 773

Olives, Euphyllura species infestation, 7
Oothecae, mating, 861
Parcoblatta fulvescens, 861
reproduction, 861
Organic compounds attraction, food selection mechanism, 293
Tyrophagus putrescentiae, 293
Ostrinia nubilalis, accelerated development, 385
C. graminicola, 385
maize tissues, 385
survival, 385
Ovarian development, *Cerotoma trifucata*, 34
crop carbohydrate effects, 1
crop protein effects, 1
Musca autumnalis, 1
maturation, *Dacus oleae*, 15
photophase effects, 15
reproductive diapause, 15
temperature effects, 15
Overwintering, age structure, 636
allozymes, 636
arboviruses, 677
autogeny, 674
colonization, 664
Culex quinquefasciatus, 677
Culex tarsalis, 664, 674, 677
diapause, 664, 674, 677
Musca domestica, 636
photoperiod, 664, 674
Oviposition, *Megacerus discoidus*, 359
naturally mated *Apis mellifera*, 112
rates in instrumentally inseminated *Apis mellifera*, 112
Rhagoletis mendax, 266
Rhagoletis pomonella, 266
Oviposition behavior, ectoparasitoids, 884
food web, 884
gall development, 884
inquilines, 884
life history, 884
Pontania sp. sawfly, 884
Ovipositor, *Hylotrupes bajulus*, 344
Manduca sexta, 629
nervous system, 629
papillae anales, 629
Oxyopes salticus, *Lygus lineolaris*, 879
predation, 879
prey size, 879
Ozark region, keys, 645
morphology, 645
Neoperla, 645
Perlidae, 645
Plecoptera, 645

Panurginae, comparison with Andreninae, 63
Papillae anales, *Manduca sexta*, 629
nervous system
ovipositor, 629
Parasites, of *Anthophora urbana urbana*, 434
of *Megacerus discoidus*, 359
Parasitic Hymenoptera, Aonidiella, 700
Aphelinidae, 700
Aphytis, 700
Diaspididae, 700
ectoparasitoid, 700
fecundity, 700
fitness, 700
host size, 700
survival, 700
Parasitic mite, *Apis mellifera*, 801
reproduction, 801
resistance, 801
Varroa jacobsoni, 801
Parasitism, artificial, *216*
Campoletis sonorensis, 216
Hyposoter exiguae, 216
Parasitization, attachment, 56
Callidosoma metzi, 56
dispersion, 56
Microplitis rufiventris, 262
Platynota idaeusalis, 56
Spodoptera exigua, 262
Parasitoid, *Anaphes sordidatus*, carrot weevil, 31
Parasitoids, Chihuahua, 686
Drosophila melanogaster, 808
Drosophila simulans, 808
Hemileuca oliviae, 686
Leptopilina boulardi, 808
life-history parameters, 808
Mexico, 686
reproduction, 808
Parcoblatta fulvescens, mating, 861
oothecae, 861
reproduction, 861
Parity, fat body, 912
follicle development, 912
fructose, 912
sperm, 912
sugar, 912
Tabanus quinquevittatus, 912

Pectinophora gossypiella, age-specific development time, 482
degree days, 482
development/temperature ratios, 482
Pediobius foveolatus, arrhenotoky, 737
Epilachna varivestis, 737
mating, 737
sterility, 737
Peregrinus maidus, biology, 395
instars descriptions, 395
Periplaneta fuliginosa, behavior, 104
spatial distribution, 104
suburban environment, 104
time-activity budgets, 104
Perlidae, keys, 645
morphology, 645
Neoperla, 645
Ozark region, 645
Plecoptera, 645
Pest management, determining migration with light traps, 132
Plodia interpunctella bioenergetics, 96
Phenetic relationships *Dendroctonus* bark beetles, 527
Phenology, *Tildenia georgei*, 48
Tildenia inconspicuella, 48
Phloeophagy, Platypodidae, 414
Scolytidae, 414
Photoperiod, Aedes taeniorhynchus, 925
Agrotis ipsilon, 821
autogeny, 674
bionomics, 821
colonization, 664
Culex tarsalis, 664
Culex tarsalis, 674
diapause, 664, 674, 925
egg hatchability, 925
embryogenesis, 925
overwintering, 664, 674
temperature, 925
thermoperiod, 821
Phthorimaea operculella, enzyme inheritance, 80
enzymes in field-collected, 80
enzymes in laboratory-reared, 80
genetic effects, rearing, 80
Phylogenetic relationships, *Dendroctonus* bark beetles, 527
Phylogeny, calls, 727
Dalbulus leafhoppers, 727
distribution, 691
mating, 727
mimicry, 691
new species, 691
species key, 691
Zirta, 691
Physiological marker, *Lygus lineolaris*, 19
rubidium, 19
Phytophagous insects, desert shrub fauna, 39
Hymenocles salsola, 39
Plagiodera versicolora, life cycle, 73
natural populations, 73
Plant sugars, *Aedes triseriatus*, 829
energy reserves, 829
Platynota idaeusalis, parasitization *Callidosoma metzi*, 56
Platynus angustatus, genetic variation, 424
Platynus tenuicollis, genetic variation, 424
Platypodidae, annotated checklist, 414
biology, 414
feeding habit, 414
host specificity, 414
mating systems, 414
phloeophagy, 414
tropical rain forest, 414
xylomycetophagy, 414
Platyptilia carduidactyla, courtship, 120
temporal reproductive isolation, 210
Platyptilia williamsii, courtship, 120
temporal reproductive isolation, 210
Plecoptera, keys, 645
morphology, 645
Neoperla, 645
Ozark region, 645
Perlidae, 645
Plodia interpunctella, bioenergetics, 96
corn infestation, 96
pest management, 96
stored-grain management, 96
Polistes fuscatus, gynes, 572
nestmate recognition, 572
Pollen cytoplasm release, alfalfa pollen, 804
Apis mellifera, 804
digestion, 804
histochemical observation, 804
Polyembriony, *Copidosomopsis tanytmemus* development, 121
Polygamy, fecundity, 705
fertility, 705
multiple mating, 705
Rhagoletis pomonella, 705
sexual selection, 705
sperm depletion, 705
Polyunsaturated fatty acids, egg-laying behavior, 841
insect reproduction, 841
prostaglandins, 841
Pontania sp. sawfly, ectoparasitoids, 884
food web, 884
gall development, 884
inquilines, 884
life history, 884
oviposition behavior, 884
Precocenes effects, *Heteracris littoralis*, 341
Predation, behavior, 715
Lygus lineolaris, 879
Oxyopes salticus, 879
prey size, 879
surplus killing, 715
Toxorhynchites, 715

Presocial behavior, nest sharing, 994
nest switching, 994
Prey size, *Lygus lineolaris*, 879
Oxyopes salticus, 879
predation, 879
Prodiplosis, *revision, 235*
synonymized with Geisenheyneria, *235*
Prodiplosis falcata, description, 235
Prodiplosis logifila, description, 235
Prodiplosis platani, description, 235
Prostaglandins, egg-laying behavior, 841
insect reproduction, 841
polyunsaturated fatty acids, 841
Ptilodactylidae, key to New World genera, 219

Queen rearing, *Apis mellifera*, 460
Queenless, Africanized, 833
Apis mellifera, 833
arrhenotoky, 833
drone, 833
laying worker, 833

Ranatra fusca, immature stages, 566
laboratory rearing, 566
life history, 566
Recombinant DNA, applied entomology, 766
genetics, 766
Recruitment behavior, experimental trails, 283
Iridomyrmex humilis, 283
Relationships, aquatic insects-mosquito larvae, 91
predator-prey using enzyme immunoassay, 91
Repetitive DNA, *Aedes* spp., 784
genetics, 784
homogenization, 784
systematics, 784
Reproduction, *Apis mellifera*, 801
Drosophila melanogaster, 808
Drosophila simulans, 808
Leptopilina boulardi, 808
life-history parameters, 808
mating, 861
morphology, 814
oothecae, 861
Parcoblatta fulvescens, 861
parasitic mite, 801
parasitoids, 808
resistance, 801
Thyridopteryx ephemeraeformis, 814
Varroa jacobsoni, 801
diapause, *Sitona lineatus*, 109
system maturion, *Sitona lineatus*, 109
temporal isolation, *Platyptilia carduidactyla*, 120
temporal isolation, *Platyptilia williamsii*, 120
Reproductive adaptation, hibernation, 975
sperm mixing, 975
water's edge, 975
Reproductive biology, *Allorhogas pyralophagus*, 402
Reproductive capability, *Campoletis sonorensis*, 893
developmental time, 893
longevity, 893
Spodoptera frugiperda, 893
Reproductive isolation, chiral semiochemicals, 742
Diabrotica barberi, 742
Diabrotica virgifera, 742
sex attractant, 742
Reproductive output, evolution, 918
fitness, 918
maternal investment, 918
Scapteriscus acletus, 918
Scapteriscus vicinus, 918
Resistance, *Apis mellifera*, 801
parasitic mite, 801
reproduction, 801
Varroa jacobsoni, 801
Rhaconotus roslinensis, competition, 905
Diatraea saccharalis, 905
Eoreuma loftini, 905
life tables, 905
sugarcane, 905
Rhagoletis mendax, compared with *Rhagoletis pomonella*, 266
field cage experiments, 266
field experiments, 266
host-selection behavior, 266
laboratory experiments, 266
oviposition, 266
Rhagoletis pomonella, behavior compared with Rhagoletis mendax, 266
fecundity, 705
fertility, 705
field cage experiments, 266
field experiments, 266
host-selection behavior, 266
laboratory experiments, 266
multiple mating, 705
oviposition, 266
polygamy, 705
sexual selection, 705
sperm depletion, 705
Rhipicephalus sanguineus, humidity effects, 11
molting, 11
survival, 11
temperature effects, 11
Rubidium, elimination patterns, 19
incorporation in *Lygus lineolaris*, 19
uptake patterns, 19

Scapteriscus acletus, evolution, 918
fitness, 918
maternal investment, 918
reproductive output, 918
Scapteriscus vicinus, 918
Scapteriscus vicinus, evolution, 918
fitness, 918
maternal investment, 918
reproductive output, 918
Scapteriscus acletus, 918
Scolytidae, annotated checklist, 414
biology, 414
feeding habit, 414
host specificity, 414
mating systems, 414
phloeophagy, 414
tropical rain forest, 414
xylomycetophagy, 414
Scyphophorus acupunctatus, agave host plant interactions, 334
ecology, 334
natural history, 334
new host records, 334
Secretions, *Myrmecia nigriscapa*, 448
Sensilla, *Conotrachelus nenuphar*, 324
Sex attractant, chiral semiochemicals, 742
Diabrotica barberi, 742
Diabrotica virgifera, 742
reproductive isolation, 742
Sex chromosomes, autosomes, 792
Cochliomyia hominivorax, 792
chromosomes, 792
genetic variation, 792
genetics, 792
karyotype analysis, 792
Sex pheromone, diel periodicity, *Heliothis zea*, 128
Heliothis zea age effects, 128
Heliothis zea mating effects, 128
Sex ratio, of host *Xeromelecta californica*, 434
Sexual maturation rates, *Dacus cucurbitae*, 605
laboratory-reared, 605
mating responses, 605
wild adults, 605
Sexual selection, fecundity, 705
fertility, 705
multiple mating, 705
polygamy, 705
Rhagoletis pomonella, 705
sperm depletion, 705
Signals, acoustic, *Anastrepha suspensa*, 146
Simulium vittatum, colonization, 610
life tables, 610
Sitona lineatus, flight muscle changes, 109
reproductive diapause, 109
reproductive maturation, 109
Size, assortative mating, 597
courtship, 597
Epicauta ochrea, 597
Lytta vulnerata, 597
mating success, 597
Tegrodera erosa, 597
Social parasitism, *Ectatomma tuberculatum*, 300
Solanaceous weeds, *Tildenia georgei* feeding, 48
Tildenia inconspicuella feeding, 48
Solenopsis invicta, colony founding, 723
economics, 723
ergonomics, 723
evolution, 723
nanitic, 723
Soybeans, *Cerotoma trifucata*, 34
Spatial distribution, *Periplaneta fuliginosa*, 104
Species, key distribution, 691
key mimicry, 691
key new species, 691
key phylogeny, 691
key *Zirta*, 691
Sperm, fat body, 912
follicle development, 912
parity, 912
sugar, 912
Tabanus quinquevittatus, 912
Sperm depletion, *Rhagoletis pomonella*, 705
Sperm mixing, aggregation, 975
hibernation, 975
reproductive adaptation, 975
water's edge, 975
Spodoptera exigua, parasitization, *Microplitis rufiventris*, 262
Spodoptera frugiperda, allozymes, 898
Campoletis sonorensis, 893
developmental time, 893
host strains, 898
longevity, 893
reproductive capability, 893
Starvation effects, *Coptotermes formosanus* soldiers, 312
Status, *Allonemobius socius*, 472
cytology, 870
Dacus aquilonis, 870
Dacus tryoni, 870
mate recognition, 870
morphology, 870
Sterility, arrhenotoky, 737
Epilachna varivestis, 737
mating, 737
Pediobius foveolatus, 737
Stored-grain management, *Plodia interpunctella* bioenergetics, 96
Sugar, fat body, 912
follicle development, 912
fructose, 912
parity, 912
sperm, 912
Tabanus quinquevittatus, 912
Sugarcane, competition, 905
Diatraea saccharalis, 905
Eoreuma loftini, 905
life tables, 905
Rhaconotus roslinensis, 905

Surplus killing, behavior, 715
predation, 715
Toxorhynchites, 715
Survival, *Acnidiella*, 700
Aphelinidae, 700
Aphytis, 700
Diaspididae, 700
ectoparasitoid, 700
fecundity, 700
fitness, 700
host size, 700
parasitic Hymenoptera, 700
Swarm, behavior, 865
hilltop, 865
Leptothorax longispinosus, 865
Myrmica sp. C, 865
male, 865
Sympatric relationships, biosystematics, 1019
new species, 1019
Trichogramma, 1019
Systematics, *Aedes* spp., 784
genetics, 784
homogenization, 784
repetitive DNA, 784

Tabanus quinquevittatus, fat body, 912
follicle development, 912
fructose, 912
parity, 912
sperm, 912
sugar, 912
Tachysphex terminatus, cleptoparasitism, 350
Miltogrammini species, 350
response to Miltogrammini, 350
Tactile and chemical communication, aggregation, 963
embryonic orientation, 963
insect development, 963
Tactile and chemical communication, *Nezara viridula*, 963
Taeniopoda eques, Acrididae, 711
degree-days, 711
development, 711
thermal constant, 711
thermoregulation, 711
threshold temperature, 711
Tegrodera erosa, assortative mating, 597
courtship, 597
Epicauta ochrea, 597
Lytta vulnerata, 597
mating success, 597
size, 597
Temperature, *Aedes taeniorhynchus*, 925
diapause, 925
egg hatchability, 925
embryogenesis, 925
photoperiod, 925
Tetraglossa, synonymized with *Anchytarsus*, 219
Tetranychus urticae, cold hardiness, 837
cryobiology, 837
fecundity, 837
fertilization, 837
Humulus lupulus, 837
Thermal constant, Acrididae, 711
degree-days, 711
development, 711
Taeniopoda eques, 711
thermoregulation, 711
threshold temperature, 711
Thermoperiod, *Agrotis ipsilon*, 821
bionomics, 821
photoperiod, 821
Thermoregulation, Acrididae, 711
degree-days, 711
development, 711
Taeniopoda eques, 711
thermal constant, 711
threshold temperature, 711
Thistle, biological control, 945, 953
Cirsium, 945, 953
insect fauna, 945, 953
weed, 945, 953
Threshold temperature, Acrididae, 711
Taeniopoda eques, 711
Thyridopteryx ephemeraeformis, morphology, 814
reproduction, 814
Tildenia georgei, comparison with *Tildenia inconspicuella*, 48
geographic distribution, 48
life cycle, 48
mining behavior, 48
phenology, 48
solanaceous weeds, 48
Tildenia inconspicuella, comparison with *Tildenia georgei*, 48
geographic distribution, 48
life cycle, 48
mining behavior, 48
phenology, 48
solanaceous weeds, 48
Time-activity budgets, *Periplaneta fuliginosa*, 104
Toxorhynchites, behavior, 715
predation, 715
surplus killing, 715
Trail deposition, *Iridomyrmex humilis*, 283
Trail pheromone, communication, 999
foraging behavior, 999
Malacosoma americanum, 999
Malacosoma disstria, 999
Transposon, baculovirus, 773
genetics, 773
mutagenesis, 773
nuclear polyhedrosis virus, 773
Tribolium spp., amylase activity levels, 407
dietary regulation, 407
Trichogramma, biosystematics, 1019
new species, 1019
sympatric relationships, 1019
Triepeolus dacontensis, *Anthophora occidentalis*, 588
egg eclosion, 588
late embryogenesis, 588
Tropical rain forest, Platypodidae, 414
Scolytidae, 414
Tupelo gum foliage, defoliation prediction model, 304
Malacosoma disstria, 304
Tyrophagus putrescentiae, attraction by organic compounds, 293
feeding behavior, 293
feeding response, 293
food selection mechanisms, 293
gustatory stimuli, 293

Ultrastructure, Dufour's gland, 1008
Xylocopa virginica virginica, 1008

Varroa jacobsoni, reproduction, 801
Apis mellifera, 801
parasitic mite, 801
resistance, 801

Water relations, body water, 579
Elasmopalpus lignosellus, 579
Water stress, *Eleodes obscura*, 468
Water's edge, aggregation, 975
hibernation, 975
reproductive adaptation, 975
sperm mixing, 975
Weed, biological control, 945, 953
Cirsium, 945, 953
insect fauna, 945, 953
thistle, 945, 953
Wheat, biomass, 622
consumption, 622
Xphestia cautella, 622
efficiencies, 622
energy budget, 622
Wild adults, *Dacus cucurbitae*, 605
laboratory-reared, 605
mating responses, 605
sexual maturation rates, 605

Xeromelecta californica, *Anthophora urbana urbana*, 434
Anthophora urbana urbana, 434
biology, 434
cocoon spinning, 434
hatching, 434
late embryogenesis, 434
sex ratio of host, 434
Xylocopa virginica virginica, Dufour's gland, 1008
ultrastructure, 1008
Xylomycetophagy, Platypodidae, 414
Scolytidae, 414

Zelus, discussion, 535
keys, 535
male genitalia, 535
new synonymies, 535
nine species of, 535
U.S. range, 535
Zirta, distribution, 691
mimicry, 691
new species, 691
phylogeny, 691
species key, 691